

L Number	Hits	Search Text	DB	Time stamp
91	326	cover adj removal	EPO; JPO; DERWENT	2004/05/25 12:00
92	1	{cover adj removal} and ferrule	EPO; JPO; DERWENT	2004/05/25 12:01
93	8	{cover adj removal} and {optical adj fiber}	EPO; JPO; DERWENT	2004/05/25 12:01
94	12	{ "4229876" "4606603" "4708433" "4964688" "5221170" "5487123" "5620634" "5625737" "5806175" "6001664" "6004042" "6173097" "2001/0036342" }.PN.	USPAT	2004/05/25 12:17
95	0	6585421.URPN.	USPAT	2004/05/25 12:21
96	1001	385/59	USPAT	2004/05/25 12:22
97	451	385/59 and ferrule	USPAT	2004/05/25 12:22
98	221	{385/59 and ferrule} and {adhesive or resin or glue or polymer\$2}	USPAT	2004/05/25 12:23
101	5	ferrule and {clamp\$3 adj jig} and align\$4	USPAT	2004/05/25 13:08
102	1377	rotat\$3 adj {fiber or fibre or cable}	EPO; JPO; DERWENT	2004/05/25 13:08
103	9	{rotat\$3 adj {fiber or fibre or cable} } and ferrule	EPO; JPO; DERWENT	2004/05/25 13:08
106	2	ferrule and viscous and adhesive	EPO; JPO; DERWENT	2004/05/25 13:20
107	21	ferrule and {viscous or viscosity} and adhesive	EPO; JPO; DERWENT	2004/05/25 13:28
108	6	"5734767"	USPAT	2004/05/25 13:30
109	6	"5594822"	USPAT	2004/05/25 13:31
110	6	{high\$2} and adhesive and ferrule and {viscosity or viscous}	EPO; JPO; DERWENT	2004/05/25 13:33
111	9	epoxy and viscosity and ferrule	EPO; JPO; DERWENT	2004/05/25 13:34
112	294	{viscous or viscosity} and adhesive and ferrule	USPAT	2004/05/25 13:34
113	401	{viscous or viscosity} and {adhesive or resin} and ferrule	USPAT	2004/05/25 13:34
114	186	{{viscous or viscosity} and {adhesive or resin} and ferrule } and {{viscous or viscosity} same {adhesive or resin}}	USPAT	2004/05/25 13:35
115	173	{{viscous or viscosity} and {adhesive or resin} and ferrule } and {{viscous or viscosity} same {adhesive or resin}}} and {multi or two}	USPAT	2004/05/25 13:35
116	111	{{viscous or viscosity} and {adhesive or resin} and ferrule } and {{viscous or viscosity} same {adhesive or resin}}} and epoxy	USPAT	2004/05/25 13:51
117	31	"5374767"	USPAT	2004/05/25 13:51
118	6	"5734767"	USPAT	2004/05/25 13:52
119	6	"5594822"	USPAT	2004/05/25 13:52
120	649	174/DIG.8.CCLS.	USPAT	2004/05/25 13:52
121	93	174/DIG.8.CCLS. AND (VISCOSITY OR VISCOS)	USPAT	2004/05/25 13:52
122	93	{174/DIG.8.CCLS. AND (VISCOSITY OR VISCOS)} and {adhesive or resin or glue or polymer\$2}	USPAT	2004/05/25 14:48
137	3249	nonomura	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 14:55

138	532	nonomura and (fiber or fibre or ferrule or optical)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 14:55
139	913	nonomura	USPAT; US-PGPUB	2004/05/25 14:55
140	395	nonomura and (optical or fiber or fibre or ferrule)	USPAT; US-PGPUB	2004/05/25 14:56
141	268	nonomura.inv.	USPAT; US-PGPUB	2004/05/25 14:56
142	84	nonomura.inv. and (optical or fiber or fibre or ferrule)	USPAT; US-PGPUB	2004/05/25 14:56
143	16	nonomura.inv. and masanori	USPAT; US-PGPUB	2004/05/25 14:56
-	2455	ferrule and (hold or holding or holder)	EPO; JPO; DERWENT	2004/05/24 14:19
-	361	((ferrule and (hold or holding or holder) and (adhesive or resin or polymer\$2 or glue)	EPO; JPO; DERWENT	2004/05/15 12:57
-	4074	ferrule and (adhesive or resin or polymer\$2 or glue) and (insert\$3 or hold\$3)	USPAT	2004/05/15 12:57
-	2903	((ferrule and (adhesive or resin or polymer\$2 or glue) and (insert\$3 or hold\$3)) and ((insert\$3 or hold\$3) same (tool or device or tube or tubing or member)))	USPAT	2004/05/15 12:58
-	79395	156/\$.cc1s.	USPAT	2004/05/15 12:58
-	70	((ferrule and (adhesive or resin or polymer\$2 or glue) and (insert\$3 or hold\$3)) and ((insert\$3 or hold\$3) same (tool or device or tube or tubing or member))) and 156/\$.cc1s.	USPAT	2004/05/15 13:02
-	5221	hold\$3 adj tube	USPAT	2004/05/15 13:02
-	45969	hold\$3 adj (tube or tubing or member or device)	USPAT	2004/05/15 13:24
-	28625	insert\$3 adj (tube or tubing or member or device)	USPAT	2004/05/15 13:02
-	72301	((hold\$3 adj (tube or tubing or member or device)) or (insert\$3 adj (tube or tubing or member or device)))	USPAT	2004/05/15 13:03
-	818	((hold\$3 adj (tube or tubing or member or device)) or (insert\$3 adj (tube or tubing or member or device))) and ferrule	USPAT	2004/05/15 13:03
-	233	((hold\$3 adj (tube or tubing or member or device)) or (insert\$3 adj (tube or tubing or member or device))) and ferrule and adhesive	USPAT	2004/05/15 13:24
-	77132	((hold\$3 or insert\$3) adj (tool or member or device or tube or tubing))	EPO; JPO; DERWENT	2004/05/15 13:24
-	5628	((hold\$3 or insert\$3) adj (tool or member or device or tube or tubing)) and (optical or ferrule)	EPO; JPO; DERWENT	2004/05/15 13:24
-	232	((hold\$3 or insert\$3) adj (tool or member or device or tube or tubing)) and ferrule	EPO; JPO; DERWENT	2004/05/15 13:37
-	43	koziatek	USPAT	2004/05/17 10:33
-	5	koziatek	EPO; JPO; DERWENT	2004/05/17 10:58
-	969	sealant and water and (propylene adj glycol)	USPAT	2004/05/17 10:59
-	50	sealant and water and (propylene adj glycol) and tire	USPAT	2004/05/17 10:59
-	20	(tire or tyre) and (water and glycol and latex)	EPO; JPO; DERWENT	2004/05/17 11:05
-	36	(tire or tyre) and (water and glycol and (latex or emulsion))	EPO; JPO; DERWENT	2004/05/17 12:09
-	127973	tire or tyre	USOCR	2004/05/17 12:10

-	1471	{(tire or tyre) and (water and glycol)}	USOCR	2004/05/17 12:11
-	118	{{(tire or tyre) and (water and glycol)) and (sealant or sealing)}	USOCR	2004/05/17 12:11
-	45	{{(tire or tyre) and (water and glycol)) and (sealant or sealing)) and (latex or emulsion)}	USOCR	2004/05/17 12:13
-	73	{{(tire or tyre) and (water and glycol)) and (sealant or sealing)) not {{(tire or tyre) and (water and glycol)) and (sealant or sealing)) and (latex or emulsion)}	USOCR	2004/05/17 12:19
-	24	"3628585"	USPAT	2004/05/17 12:19
-	6	"5500456"	USPAT	2004/05/17 12:19
-	1	"6605654"	USPAT	2004/05/17 12:20
-	30	"4501825"	USPAT	2004/05/17 12:37
-	24	"3628585"	USPAT	2004/05/17 12:38
-	67	152/502	USPAT	2004/05/17 12:39
-	71	152/503	USPAT	2004/05/17 12:39
-	119	152/502 or 152/503	USPAT	2004/05/17 12:39
-	153	152/504	USPAT	2004/05/17 12:39
-	238	{152/502 or 152/503} or 152/504	USPAT	2004/05/17 12:39
-	84	{{152/502 or 152/503} or 152/504} and (water or glycol or latex)	USPAT	2004/05/17 12:53
-	752	b60c005/14	EPO; JPO; DERWENT	2004/05/17 12:53
-	0	b60c005/14 and (sealnt or selaing)	EPO; JPO; DERWENT	2004/05/17 12:53
-	67	b60c005/14 and (sealant or sealing)	EPO; JPO; DERWENT	2004/05/17 13:17
-	0	{multi near fiber} and assembly	EPO; JPO; DERWENT	2004/05/18 12:48
-	55	{multi near fiber} and assembly	EPO; JPO; DERWENT	2004/05/18 12:48
-	9	{{multi near fiber} and assembly } and {adhesive or resin or glue or polymer or thermoplastic or thermoset}	EPO; JPO; DERWENT	2004/05/18 12:50
-	598	multi near fiber	EPO; JPO; DERWENT	2004/05/18 12:50
-	134	{multi near fiber} and ferrule	EPO; JPO; DERWENT	2004/05/18 12:51
-	36	{{multi near fiber} and ferrule) and {adhesive or resin or polymer or thermoplastic or thermoset}	EPO; JPO; DERWENT	2004/05/18 12:54
-	261	ferrule and {multi near fiber}	USPAT	2004/05/18 12:54
-	168	{ferrule and {multi near fiber}} and {adhesive or resin or polymer or glue or thermoplastic or thermoset}	USPAT	2004/05/18 13:22
-	2430	156/293	USPAT	2004/05/18 13:22
-	2039	156/294	USPAT	2004/05/18 13:22
-	663	156/303.1	USPAT	2004/05/18 13:22
-	4265	156/293 or 156/294 or 156/303.1	USPAT	2004/05/18 13:23
-	117	{156/293 or 156/294 or 156/303.1} and {optical adj fiber}	USPAT	2004/05/18 13:23
-	3	{156/293 or 156/294 or 156/303.1} and {optical adj cable}	USPAT	2004/05/18 13:23

-	117	((156/293 or 156/294 or 156/303.1) and (optical adj fiber)) or ((multi near fiber) and assembly)	USPAT	2004/05/18 13:23
-	117	((156/293 or 156/294 or 156/303.1) and (optical adj fiber)) or ((156/293 or 156/294 or 156/303.1) and (optical adj cable))	USPAT	2004/05/18 13:24
-	49	(156/293 or 156/294 or 156/303.1) and ferrule	USPAT	2004/05/18 13:24
-	145	((156/293 or 156/294 or 156/303.1) and (optical adj fiber)) or ((156/293 or 156/294 or 156/303.1) and (optical adj cable)) or ((156/293 or 156/294 or 156/303.1) and ferrule)	USPAT	2004/05/18 14:08
-	1077	385/53	USPAT	2004/05/18 14:13
-	1090	385/60	USPAT	2004/05/18 14:13
-	669	385/70	USPAT	2004/05/18 14:13
-	709	385/72	USPAT	2004/05/18 14:13
-	1053	385/76	USPAT	2004/05/18 14:13
-	1243	385/78	USPAT	2004/05/18 14:13
-	460	385/80	USPAT	2004/05/18 14:13
-	3196	385/53 or 385/60 or 385/70 or 385/72 or 385/76 or 385/78 or 385/80	USPAT	2004/05/18 14:13
-	1702	(385/53 or 385/60 or 385/70 or 385/72 or 385/76 or 385/78 or 385/80) and (adhesive or resin or polymer or glue of thermoplastic or thermoset\$4)	USPAT	2004/05/18 14:14
-	890	((385/53 or 385/60 or 385/70 or 385/72 or 385/76 or 385/78 or 385/80) and (adhesive or resin or polymer or glue of thermoplastic or thermoset\$4)) and ferrule	USPAT	2004/05/18 14:14
-	147	((385/53 or 385/60 or 385/70 or 385/72 or 385/76 or 385/78 or 385/80) and (adhesive or resin or polymer or glue of thermoplastic or thermoset\$4)) and (multi near fiber)	USPAT	2004/05/18 14:14
-	93	((385/53 or 385/60 or 385/70 or 385/72 or 385/76 or 385/78 or 385/80) and (adhesive or resin or polymer or glue of thermoplastic or thermoset\$4)) and (multi near fiber)) and ferrule	USPAT	2004/05/18 14:14
-	6915	insertion adj (tube or member or sleeve)	USPAT	2004/05/22 14:47
-	29442	(insertion or holding) adj (tube or member or sleeve)	USPAT	2004/05/22 14:48
-	430	((insertion or holding) adj (tube or member or sleeve)) and ferrule	USPAT	2004/05/22 14:48
-	23161	385/\$.ccls.	USPAT	2004/05/24 14:20
-	1411	385/\$.ccls. and ((hold\$ or insert\$3 or clamp\$3 or grip\$4) adj (device or member or sleeve or tube))	USPAT	2004/05/24 14:22
-	788	(385/\$.ccls. and ((hold\$ or insert\$3 or clamp\$3 or grip\$4) adj (device or member or sleeve or tube))) and (adhesive or resin or glue or polymer)	USPAT	2004/05/24 16:30
-	5677	align\$4 and (optical adj fiber)	EPO; JPO; DERWENT	2004/05/24 17:10
-	712	(align\$4 and (optical adj fiber)) and ferrule	EPO; JPO; DERWENT	2004/05/24 16:31
-	128	((align\$4 and (optical adj fiber)) and ferrule) and (adhesive or resin or glue or polymer\$2)	EPO; JPO; DERWENT	2004/05/24 16:46

-	1394	align\$4 and (optical adj fiber) and ferrule and (adhesive or resin or glue or polymer\$2)	USPAT	2004/05/24 17:11
-	1127	385/\$.cc1s. and (align\$4 and (optical adj fiber) and ferrule and (adhesive or resin or glue or polymer\$2))	USPAT	2004/05/24 17:13